
The clays and clay industries of Connecticut Volume 4



Filesize: 2.33 MB

Reviews

A whole new eBook with a brand new point of view. It is definitely simplistic but shocks in the 50 percent of the publication. I am just pleased to explain how this is the greatest ebook i have read during my very own daily life and could be he best ebook for possibly.

(Mitchell Kuhn III)

THE CLAYS AND CLAY INDUSTRIES OF CONNECTICUT VOLUME 4



To save **The clays and clay industries of Connecticut Volume 4** eBook, remember to refer to the web link below and save the file or gain access to additional information which are have conjunction with THE CLAYS AND CLAY INDUSTRIES OF CONNECTICUT VOLUME 4 ebook.

RareBooksClub. Paperback. Book Condition: New. This item is printed on demand. Paperback. 32 pages. Dimensions: 9.7in. x 7.4in. x 0.1in.This historic book may have numerous typos and missing text. Purchasers can download a free scanned copy of the original book (without typos) from the publisher. Not indexed. Not illustrated. 1905 Excerpt: . . . (4) stoneware clays; (5) clays for vitrified wares; (6) terra cotta clays; (7) brick clays of different kinds; and (8) slip clays. (1) Kaolins, China, and Ball Clays. -- Kaolins, china, and ball clays are used in the manufacture of porcelain, china, and white earthenware. Their requisite properties are fine grain, homogeneity, plasticity, freedom from iron and fluxing impurities. Most clays of this class require washing or grinding before they are suitable for use, and feldspar and quartz are usually added to make a compound with all the desired properties. The feldspar, fusing before the clay, cements the particles and furnishes the white glaze. These clays should fuse at about 2, 350 F. 1 1H. Ries, Clays of U. S. East of Miss. R., Prof. Paper No. n. U. S. , G. S., 903, p. 37. The analyses of washed kaolins show the following range of constituents: Clay used in the manufacture of paper must have natural white color and be free from grit. Its other properties are unimportant. Kaolin is the principal type of clay used. (2) Fire-Clays. --The chief requirements of fire-clays are the withstanding of very high temperatures, 2, 500 to 2, 700 F., and a moderate amount of plasticity. Coarse grain and high specific gravity are important properties. Mixtures of clay are necessary for the best results. Analyses show the following ranges: 2 (3) Glass-Pot Clays. --Clays for the manufacture of glass-pots must be refractory, burn dense, resisting the fluxing...



Read The clays and clay industries of Connecticut Volume 4 Online Download PDF The clays and clay industries of Connecticut Volume 4

Related PDFs



[PDF] Yearbook Volume 15

Click the hyperlink under to read "Yearbook Volume 15" document.

Save Book »



[PDF] Kindergarten Culture in the Family and Kindergarten; A Complete Sketch of Froebel's System of Early Education, Adapted to American Institutions. for the Use of Mothers and Teachers (Paperback)

Click the hyperlink under to read "Kindergarten Culture in the Family and Kindergarten; A Complete Sketch of Froebel's System of Early Education, Adapted to American Institutions. for the Use of Mothers and Teachers (Paperback)" document.

Save Book »



[PDF] Molly on the Shore, BFMS 1 Study score

Click the hyperlink under to read "Molly on the Shore, BFMS 1 Study score" document.

Save Book »



[PDF] A Kindergarten Manual for Jewish Religious Schools; Teacher's Text Book for Use in School and Home (Paperback)

Click the hyperlink under to read "A Kindergarten Manual for Jewish Religious Schools; Teachers Text Book for Use in School and Home (Paperback)" document.

Save Book »



[PDF] A Year Book for Primary Grades; Based on Froebel s Mother Plays (Paperback)

Click the hyperlink under to read "A Year Book for Primary Grades; Based on Froebel's Mother Plays (Paperback)" document.

Save Book »



[PDF] Southern Educational Review Volume 3 (Paperback)

Click the hyperlink under to read "Southern Educational Review Volume 3 (Paperback)" document.

Save Book »